

DECLARATION OF PERFORMANCE



Volgens Construction Products Regulation: (EU) No. 305/2011

Nr. ASF 201300013

ETA-2012/0276 12 1034

1. Unieke identificatiecode van het producttype:	Woodies Ultimate Houtbouschroef met freesribben onder de kop en schachtribben .
2. Type-, partij- of serienummer, dan wel een ander identificatiemiddel voor het bouwproduct, zoals voorgeschreven in artikel 11, lid 4:	Batchnummer: zie etiket verpakking
3. Beoogde gebruiken van het bouwproduct, overeenkomstig de toepasselijke geharmoniseerde technische specificatie, zoals door de fabrikant bepaald:	Mechanische bevestiging voor houtconstructies.
4. Naam, geregistreerde handelsnaam of geregistreerd handelsmerk en contactadres van de fabrikant, zoals voorgeschreven in artikel 11, lid 5:	Woodies Ultimate A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad Nederland
5. Indien van toepassing, naam en contactadres van de gemachtigde wiens mandaat de in artikel 12, lid 2, vermelde taken bestrijkt.	-
6. Het systeem of de systemen voor de beoordeling en verificatie van de prestatiebestendigheid van het bouwproduct, vermeld in bijlage V:	System 2+
7. Indien de prestatieverklaring betrekking heeft op een bouwproduct dat onder een geharmoniseerde norm (hEn) valt:	
8. Indien de prestatieverklaring betrekking heeft op een bouwproduct waarvoor een Europese technische beoordeling (ETA) is afgegeven:	ETA-2012/0276 1034-CPD-2035-1-2012 1034-CPD-212-1-2013

A.S.F. **FISCHER BV** PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad
Zilverstraat 1 | 8211 AN Lelystad | Nederland

Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10
Fax (0320) 23 38 56 | verkoop (0320) 24 26 33

info@asf-fischer.nl | www.asf-fischer.nl
KvK Lelystad 39063428 | BTW 8055.49.948.B01

DECLARATION OF PERFORMANCE



Volgens Construction Products Regulation: (EU) No. 305/2011


Nr. ASF 201300013

ETA-2012/0276 12 1034

9. Aangegeven prestatie										
Dimension in mm.			Ø 6.0	Ø 8.0	Ø 10.0	Ø 12.0				
Features		See ETA 2012/0276 (valid until 6 Sept. 2017)								
Main features		Declared performance								
Charac. Tensional resistance	$F_{\text{tens},k}$	kN	9.5	19.0	25.0	42.0			ETA 2012/0276	
Charac. yield moment	$M_{y,k}$	Nm	9.5	20.0	36.0	58.0				
Charac. withdrawal parameter	$F_{\text{ax},k}$	N/mm ²	11.0	11.0	10.0	10.0				
Charac. head pull-through parameter	$F_{\text{head},k}$	N/mm ²	9.4							
Charac. torsional strength	$F_{\text{tor},k}$	Nm	9.0	24.0	40.0	68.0				
Charac. torsional ratio	$F_{\text{tor},k}/R_{\text{tor},k}$	>1,5	>1.5							
Corrosion resistance	Class	-	2	2	2	2			EN 1995-1-1:11.2004	

10. De prestaties van het in de punten 1 en 2 omschreven product zijn conform de in punt 9 aangegeven prestaties. De prestatieverklaring wordt verstrekt onder de exclusieve verantwoordelijkheid van de in punt 4 vermelde fabrikant.

Ondertekend voor en namens de fabrikant door:



Arnoud Booij
Algemeen directeur
Lelystad, 28-06-2013

Legal note: This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current items of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. FISCHER BV PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01

DECLARATION OF PERFORMANCE



According to Construction Products Regulation: (EU) No. 305/2011

Nr. ASF 201300013

ETA-2012/0276 12 1034

1. Unique identification code of the product-type:	Woodies Ultimate Self tapping woodbuilding screws, with ribs under the head, shank ribs.
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):	Batch: see product label
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:	Mechanical fasteners used for structural timber.
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):	Woodies Ultimate A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad The Netherlands
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):	
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:	System 2+
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:	NOT APPLICABLE
8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:	ETA-2012/0276 1034-CPD-2035-1-2012 1034-CPD-212-1-2013

A.S.F. **FISCHER** BV **PARTNER IN FASTENERS**

Postbus 98 | 8200 AB Lelystad
Zilverstraat 1 | 8211 AN Lelystad | Nederland

Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10
Fax (0320) 23 38 56 | verkoop (0320) 24 26 33

info@asf-fischer.nl | www.asf-fischer.nl
KvK Lelystad 39063428 | BTW 8055.49.948.B01

DECLARATION OF PERFORMANCE



According to Construction Products Regulation: (EU) No. 305/2011

Nr. ASF 201300013

ETA-2012/0276 12 1034

9. Declared performance											
Dimension in mm.			Ø 6.0	Ø 8.0	Ø 10.0	Ø 12.0					
Features			See ETA 2012/0276 (valid until 6 Sept. 2017)								
Main features			Declared performance								
Charac. Tensional resistance	$F_{\text{tens},k}$	kN	9.5	19.0	25.0	42.0	ETA 2012/0276				
Charac. yield moment	$M_{y,k}$	Nm	9.5	20.0	36.0	58.0					
Charac. withdrawal parameter	$F_{\text{ax},k}$	N/mm ²	11.0	11.0	10.0	10.0					
Charac. head pull-through parameter	$F_{\text{head},k}$	N/mm ²	9.4								
Charac. torsional strength	$F_{\text{tor},k}$	Nm	9.0	24.0	40.0	68.0					
Charac. torsional ratio	$F_{\text{tor},k}/R_{\text{tor},k}$	>1,5	>1.5								
Corrosion resistance	Class	-	2	2	2	2	EN 1995-1-1:11.2004				

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Arnoud Booij
General manager

Lelystad, 28-06-2013

Legal note: This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current items of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. FISCHER BY PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01

DECLARATION OF PERFORMANCE



Gemäß Anhang III der EU-Verordnung Nr. 305/2011

Nr. ASF 201300013

ETA-2012/0276 12 1034

1. Eindeutiger Kenncode des Produkttyps:	Woodies Ultimate Holzbauschrauben mit Schaftfräsrippen und Fräsrippen am Kopf.
2. Typen-, Chargen- oder Seriennummer oder ein anderes Kennzeichen zur Identifikation des Bauprodukts gemäss Artikel 11, Absatz 4:	Chargennummer: siehe Verpackung
3. Vom Hersteller vorgesehener Verwendungszweck oder vorgesehene Verwendungszwecke des Bauprodukts gemäss der anwendbaren harmonisierten technischen Spezifikation:	Holzverbindungsmittel
4. Name, eingetragener Handelsname oder eingetragene Marke und Kontaktanschrift des Herstellers gemäss Artikel 11, Absatz 5:	Woodies Ultimate A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad Niederlande
5. Gegebenenfalls Name und Kontaktanschrift des Bevollmächtigten, der mit den Aufgaben gemäss Artikel 12, Absatz 2 beauftragt ist:	-
6. System oder Systeme zur Bewertung und Überprüfung der Leistungsbeständigkeit des Bauprodukts gemäss Anhang V:	System 2+
7. Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, das von einer harmonisierten Norm (hEn) erfasst wird:	
8. Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, für das eine Europäische Technische Bewertung (ETA) ausgestellt worden ist:	ETA-2012/0276 1034-CPD-2035-1-2012 1034-CPD-212-1-2013

A.S.F. FISCHER BV PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01

DECLARATION OF PERFORMANCE



Gemäß Anhang III der EU-Verordnung Nr. 305/2011

Nr. ASF 201300013

ETA-2012/0276 12 1034

9. Erklärte Leistung

Dimension in Millimeter			Ø 6.0	Ø 8.0	Ø 10.0	Ø 12.0			
Merkmale		Siehe ETA 2012/0276 (gültig bis 6 September 2017)							
Wesentliche Merkmale		Einheit	Erklärte Leistung					Bewertung	
Charakt. ZUGTRAGFÄHIGKEIT	$F_{\text{tens,k}}$	kN	9.5	19.0	25.0	42		ETA 2012/0276	
Charakt. FLIEBMOMENT	$M_{\text{y,k}}$	Nm	9.5	20.0	36.0	58.0			
Charakt. AUSZIEHPARAMETER	$F_{\text{ax,k}}$	N/mm ²	11.0	11.0	10.0	10.0			
Charakt. KOPFDURCHZIEHPARAMETER	$F_{\text{head,k}}$	N/mm ²	9.4						
Charakt. TORSIONSFESTIGKEIT	$F_{\text{tor,k}}$	Nm	9.0	24.0	40.0	68.0			
Charakt. TORSIONSVERHÄLTNIS	$F_{\text{tor,k}}/R_{\text{tor,k}}$	>1,5	>1.5						
DAUERHAFTIGKEIT.	Klasse	-	2	2	2	2		EN 1995-1-1:11.2004	

10. Die Leistung des Produkts gemäss den Nummern 1 und 2 entspricht der erklärten Leistung nach Nummer 9. Verantwortlich für die Erstellung dieser Leistungserklärung ist allein der Hersteller gemäss Nummer 4.

Unterzeichnet für den Hersteller und in Namen des Herstellers von:

Arnoud Booij
Geschäftsführer

Lelystad, 28-06-2013

Legal note: This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current items of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. FISCHER BY PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad

Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10

info@asf-fischer.nl | www.asf-fischer.nl

Zilverstraat 1 | 8211 AN Lelystad | Nederland

Fax (0320) 23 38 56 | verkoop (0320) 24 26 33

KvK Lelystad 39063428 | BTW 8055.49.948.B01